



ALMONARD

Heavy Duty Exhaust Fan



305mm
380mm
450mm

IS : 2312



How to Estimate Required Ventilation :

To ensure the ventilation required for a given area calculate the total interior space in cubic feet (length x width x height) multiply the figure you get by the particular number of air changes from the table above. Next divide this by 60. The figure you now get is the free air required in cubic feet per minute (C.F.M.)

Recommended Air Charges :

There are no rigid rules and recommendations regarding the number of air changes required for adequate ventilation every building has its own characteristics and much depends on prevailing conditions. The table below is, therefore, only a general guide to the number of air changes required for a given applications:


Application	No. of Air Changes Per Hour
Kitchens	20-32
Canteens / Restaurants	12-20
Offices / Laboratories / Hospital Wards	8-12
Factories / Workshops	12-20
Auditoriums / Cinemas / Photographic Darkrooms	20-30
Boiler Houses / Foundries	40-60

SPECIFICATIONS OF HEAVY DUTY EXHAUST FAN :

SIZE	SPEED /RPM	PHASE	WATTS	VOLT	AMP.	P.F.	M ³ /HR	CFM
300/12" HD	1400	1PH	90	230	0.43	0.91	1710	1006
300/12" HD	900	1PH	55	230	0.26	0.92	1145	674
380/15" HD	1400	1PH	160	230	0.75	0.92	3250	1913
380/15" HD	1400	3PH	160	415	0.31	0.72	3250	1913
380/15" HD	900	1PH	100	230	0.48	0.91	2000	1177
380/15" HD	900	3PH	100	415	0.20	0.70	2000	1177
450/18" HD	1400	1PH	410	230	1.96	0.91	6120	3602
450/18" HD	1400	3PH	360	415	0.70	0.72	6120	3602
450/18" HD	900	1PH	145	230	0.70	0.90	3900	2295
450/18" HD	900	3PH	145	415	0.29	0.70	3900	2295
600/24" HD	700	1PH	250	230	1.20	0.91	7100	4179
600/24" HD	700	3PH	240	415	0.48	0.70	7100	4179
600/24" HD	900	1PH	500	230	2.40	0.91	9400	5533
600/24" HD	900	3PH	500	415	0.95	0.73	9400	5533
750/30" HD	900	1PH	900	230	4.20	0.93	12000	7063
750/30" HD	900	3PH	900	415	1.80	0.70	12000	7063
900/36" HD	700	3PH	1200	415	2.40	0.70	28100	16539
AIRVENT EXHAUST FAN								
230/9" HD	1400	1PH	45	230	0.21	0.93	850	500
305/12" HD	1350	1PH	75	230	0.35	0.93	1400	824

Front View

Side View



IMPELLER DIA		A	B	C	D	E	NET WEIGHT
INCHES	mm.	mm.	mm.	mm.	mm.	mm.	KG.
12"	300	312	325	385	140	250	5.60
15"	380	375	405	465	145	270	7.30
18"	450	450	485	550	170	305	10.70
24"	600	600	630	725	210	385	23.30
30"	750	738	786	889	210	381	30.00
36"	900	835	960	1070	294	501	54.62



ALMONARD PVT LIMITED

305, Kakad Chambers, 3rd Floor, 132, Dr. Annie Besant Road, Worli, Mumbai-400018 (India)

Tel. : 022-24956552, 24903463, 24902269, 24903094. Fax : 022-24903760. * E-mail : almonard@bom7.vsnl.net.in, * Website : www.almonard.co.in

VADODARA WORKS : 852/2 & 853/1, GIDC, Makapura, Vadodara - 390 010. * Tel. : 0265-2633264. * Fax : 0265-2656330

CHENNAI Office & Works : 439/3B, Ekambara Naicer Industrial Estate, Off Arcot Road, Alapakkam, Porur, Chennai - 600 116.

Tel. : 044-24762100, 24762030, 24761424. * Fax : 044-24762627. * E-mail : almonard@md5.vsnl.net.in.

BRANCH OFFICES :

AHMEDABAD, BANGLORE, BARODA, BHUBANESHWAR, CALICUT, CHENNAI, COCHIN, COIMBATORE, DELHI, HUBLI, INDORE, JAIPUR, JALLANDHAR, KANPUR, MADURAI NAGPUR, PUNE, RAIPUR, SECUNDERABAD, SURAT, VIJAYWADA, VISHAKHAPATTANAM.



ALMONARD

AXIAL FLOW FAN



DUCT MOUNTED AXIAL FLOW FAN



WALL MOUNTED AXIAL FLOW FAN



BELT DRIVEN AXIAL FLOW FAN



VARIABLE PITCH AXIAL FLOW FAN



ROOF EXTRACTOR



BI-FURCATED AXIAL FAN

Almonard has been founded by technocrats, the pioneers in this field for more than 4 decades. Almonard Axial flow fans is suited for a large number of air handling applications in land & marine installations, commercial, industrial process & environment ventilation. Almonard manufactures regular series of fans and custom built fans to cater the specific needs of automobile, chemical, nuclear, cement, steel, paper, sugar, textile plants, general engineering, foundries, jute mills, brewery, hotels & marine duty application etc.

ALMONARD AXIAL FLOW FAN TYPE :

- Belt drive
- Duct type
- Wall mounted
- Roof Extracted
- Bi-Furcated
- Bell Mouth
- Bed Type
- Split type (Marine duty)

APPLICATIONS :

Almonard Axial flow fans are widely used in ventilation, pressurization, humidification, evaporative cooling towers, kitchen ventilation, fume exhaust system, dry spray paint booth, marine duty and roof extractors.

DESIGN FEATURES :

Almonard Axial flow fans are compact, easy installing and highly reliable in operation. It is designed for optimum realisation between air quality, pressure, power consumption, its impellers have high efficiency aerofoil suction blades and cast aluminum alloy with fixed and variable pitch.

PROVEN PERFORMANCES
AN ISO 9001-2008 CERTIFIED COMPANY

DISTINGUISHED FEATURES :

- High efficiency
- Aerofoil design
- Low weight
- Low noise level
- High strength
- Vibration free as VDI-2056
- Identical Air performance for all blade impellers
- Aerodynamic performance tested as per IS3588
- Possibility of reverse direction of air flow by rotating the blade through
- Special coating & lining for casting & impeller (GRP, FRP, PP, RUBBER, EPOXY)
- Robust construction to reduce vibration

READY REFERENCE AIR FLOW CHART FOR AXIAL FLOW FAN @ 20°C, 760mm(MSL) AIRFLOW IN CU.M/HR

Sl. No.	Size	HP/RPM	FAD**	Static pressure in MM WG				
				5	10	15	20	25
1	AD-300	0.25 / 1350	1300	500	-	-	-	-
2	AD-300	0.25 / 2700	2500	2300	1900	1500	900	-
3	AD-350	0.25 / 1350	1950	750	-	-	-	-
4	AD-350	0.25 / 2700	3800	3700	3000	2600	1800	1500
5	AD-375	0.25 / 1350	2400	1100	-	-	-	-
6	AD-375	0.5 / 2780	4920	4550	4180	3810	2700	1960
7	AD-400	0.25 / 1350	3000	2400	900	-	-	-
8	AD-400	0.75 / 2820	6100	5800	5400	4800	4300	2700
9	AD-450	0.25 / 1350	4300	3400	1700	-	-	-
10	AD-450	2.0 / 2840	9000	8500	8250	7750	7300	7000
11	AD-500	0.5 / 1370	6000	5200	4000	2100	-	-
12	AD-500	3.0 / 2840	12500	-	-	-	11000	10500
13	AD-550	0.75 / 1400	8200	7300	6000	3500	2000	-
14	AD-600	1 / 1380	10850	9800	8800	7000	4000	3000
15	AD-700	2 / 1410	17200	16000	14500	13500	12000	7500
16	AD-750	2 / 1410	21525	20300	18450	17200	15375	9840
17	AD-800	5 / 1425	26000	-	24000	22000	20000	18000
18	AD-900	2.0 / 925	24500	21500	18000	16000	9500	8000
19	AD-900	7.5 / 1430	38000	-	-	34000	32500	30000
20	AD-1000	5 / 950	34000	-	28000	25500	16000	12000
21	AD-1000	12.5 / 1440	55000	-	50000	48000	45000	43000
22	AD-1200	10 / 960	60000	-	-	52250	47500	45000

FURTHER HIGHER SIZES / CAPACITIES & PRESSURES ARE AVAILABLE ON REQUEST

**F A D : FREE AIR DELIVERY OF FAN IN CU.M/HR

AN ISO 9001-2008 CERTIFIED COMPANY



REGD. TRADE MARK

ALMONARD PRIVATE LIMITED

305, Kakad Chambers, 3rd Floor, 132, Dr. Annie Besant Road, Worli, Mumbai - 400 018.

Tel.: 2492 6552, 2490 3094, 2490 3463, 2490 2269. • Fax: 022-2490 3760. • E-mail: almonard@bom7.vsnl.net.in • Website: www.almonard.co.in

BARODA Works : 852/2 & 853/1 GIDC, Makarpura, BARODA - 390010. • Tel.: 2633264. • Fax: 2656330

CHENNAI Off. & Works : 439/3B, Ekambara Naicker Industrial Estate, Off Arcot Road, Alapakkam, Porur, Chennai - 600 116.

Tel.: 2476 2100, 2476 2030, 2476 1424. • Fax: 2476 2627. • Email: almonard@md5.vsnl.net.in

PUNE : 118/119 Industrial Comm. Complex, Navi Peth, L. B. S. Road, PUNE - 411 030. Tel.: 2453 2728.	NAGPUR : Venkatesh Apartment, 193, Trimurtinagar, Square Ring Road, NAGPUR - 440 022. Tel.: 223 6822.	AMMEDABAD : 212, 2nd Floor, Nalanda Endave, Opp. Hotel Chicago, Ellisbridge, AHMEDABAD - 380 006. Tel.: 2658 4876.	SURAT : House No. 17, Hutch Tower Building, Soham, P.O. Saroli, Taluka Choryasi, Dist. Suret - 395 010. Tel.: (0261) 2644253	COCHIN : Door No. 36/3057, Thammanan Pulleppady Road, Cochin - 682 017. Tel.: (0484) 3063790 Fax: 3063788	CALICUT : 23/1158 A&B Kambitta Valappu, Cotton Mill Road, Thiruvannur P.O. Calicut - 673 029. Tel.: 232 3672.
BHUBANESHWAR : Plot No. 246/A, Zone-B, Mancheswar Indl. Estate, Mancheswar, Bhubaneswar - 751 010. Tel.: 0674-2587767 Fax: 0674-2587757	HYDERABAD : 5-5-33/23C, Prashanti Nagar, Kukatpally, HYDERABAD- 508 072 Mob.: 900702341, Tel.: 040-65352604 Tel.: 040-23070062/23070887	VIJAYAWADA : D. No. 1-4-245, R.T.C. Workshop Road, Bhavanipuram, Vijayawada - 520 012. T/F: 0866-2416046 Tel: 2561946	VISAKHAPATNAM : Door No. 49-46-4, N.T. School Road, Akkayapalem, Visakhapatnam - 530 016. Tel/Fax: (0891) 2765826	MADURAI : 7-A, Rameswamy Nador Road, Chokkikulam, Madurai - 625 002. Tel.: 0452-2533808 Fax: 0452-2520303.	COIMBATORE : 11, Captain Palaniyanday Layout, Thodagam Road, Coimbatore - 641 002. Tel.: 245 1811.
BANGALORE : 315 C, P & J Compound, Near Maruthi Tent, Sunkadakatte, Bangalore - 560 091. Tel.: 2328 1991 Tel.: 2328 1989	HUBLI : Plot No. 23, Hebsur Compound, Near Green Garden, Gokul Road, Hubli - 580 030. Tel.: (0836) 223 7959.	INDORE : 50, Vishnupuri Main, A. B. Road, Indore - 452 001. Tel.: 246 4676, 244 0730.	DELHI : Plot No. 420, Functional Ind. Estate, Patparganj Industrial Area, Delhi - 110 092. Tel.: 2215 6143, 2215 6154.	JAIPUR : D-18-A-1, Meera Marg, Bani Park, Jaipur - 302 016. Tel.: 0141-2200152, Tel.: 220 7982	KANPUR : 16-71, B Civil Line, Near Income Tax Office, Kanpur - 208 001. (U.P.) Tel.: 230 6238.

JALANDHAR : Plot No. 1348, Lucky Market, Near Lucky Book Depot, Rama Mandi, Jalandhar. Tel.: 0181-6521192



ALMONARD

Range of Eco-Ventilating Fans

ECO-VENT




- ◆ Available in White, Ivory & Black Color
- ◆ Sweep 150, 200 & 250 mm
- ◆ Silent Operation
- ◆ Power Saving
- ◆ High Quality Engineering Plastic
- ◆ Ideal for Mounting on Glass & Wood
- ◆ Aero Dynamic Air Suction.

ECO AXIAL

- ◆ Available in White, Ivory & Black Color
- ◆ Sweep 100 mm & 150 mm
- ◆ Silent Operation
- ◆ Power Saving
- ◆ High Quality Engineering Plastic
- ◆ Ideal for Mounting on Glass & Wood
- ◆ Aero Dynamic Air Suction.



ALMONARD




Eco-Vent Technical Specifications

SWEEP IN MM	POWER CONSUMPTION WATTS	SPEED RPM	AIR DELIVERY (M ³ /MIN)
150 mm	40	1350	350
200 mm	40	1350	450
250 mm	50	1350	550

PRODUCTS PARAMETER

SWEEP	A	B	C	D	E
150mm	150	245	195	75	36
200mm	200	295	240	90	40
250mm	250	335	280	90	41



Eco-Axial Technical Specifications

SWEEP IN MM	POWER CONSUMPTION WATTS	SPEED RPM
100 mm	35	2400
150 mm	40	2200

PRODUCTS PARAMETER

Sweep Size	A	B	C	D
100 mm	145 mm	85 mm	75 mm	100 mm
150 mm	195 mm	95 mm	85 mm	150 mm



REGD. TRADE MARK

ALMONARD PRIVATE LIMITED

305, Kakad Chambers, 3rd Floor, 132, Dr. Annie Besant Road, Worli, Mumbai-400018. • CIN : U29300MH1968PTC014071

Tel.: 022-2492 6552, 2490 3463, 2490 2269, 2490 3094 • Fax : 022-2490 3760 • E-mail: almonard@bom7.vsnl.net.in

• Website : www.almonard.co.in

VADODARA Works : 852/2 & 853/1 GIDC, Makarpura, Vadodara - 390010 • Tel.: 0265-2633264 • Fax : 0265-2656330

CHENNAI Off. & Works : 439/3B, Ekambara Naicker Industrial Estate, Off Arcot Road, Alapakkam, Porur, Chennai-600 116.

Tel.: 044-2476 2100, 2476 2030, 2476 1424 • Fax : 044-2476 2627 • E-mail: almonard@mc15.vsnl.net.in

PUNE:
Shop No. 11 & 12, "Ajinkya" Gate,
Ground Floor, Ganesh Mala
Near Titan Watch Shop, Sinhgad
Road, Pune - 411 030
Tel.: 020-65007878

BHUBANESHWAR:
Plot No. 3574/5486, At-Palissani
Hat, Canal Road, PO G.G.P.
Bhubaneswar - 751 025.
TeleFax: 0674-2371157/2370056

BANGALORE:
315C 14th Cross,
P & J Compound, Sunkadskatte,
Charmian Kariyanna Indl. Estate,
Bangalore-560091. Tel: 080-
23261991 Telefax: 080-23281989

NAGPUR:
Venkatesh Apartment, 193,
Trimurtinagar, Square Ring Road,
Nagpur - 440 022.
Telefax: 0712-223 6822

HYDERABAD:
S-5-33/23C,
Prashant Nagar, Kukatpally,
Hyderabad-500 072.
TeleFax: 040-23070062/23070087

HUBLI:
N-25, 1st Gate Industrial Estate,
Gokul Road, Hubli-580 030.
Tel: 0836-2237959

AHMEDABAD:
306 & 307, Videcon Arizona, Near
Nav Gujarat College, Opp. Gujarat
Vidhyapeeth, Income Tax, Ashram
Rd, Ahmedabad 380 013.
Telefax: 079-27542034/27542024

VIJAYAWADA:
D. No. 1-4-290-A,
R.T.C. Workshop Road,
Bhavanipuram,
Vijayawada-520012. Tel: 0866-

INDORE:
50, Vishnupuri Main,
A. B. Road,
Indore-452 001.
Telefax: 0731-2484676/2440730

SURAT:
G-37 to 39, Raghuvir Celeum
Centre, Opp. Shyam Sangini Textile
Market-1, Kumbhariya Kadodara
Road, Surat-395010
Tel.: 0261-2644253

VISAKHAPATNAM:
D. No. 46-19-12, Mandavari Peta,
Behind Big Bazar, Dwarkanagar,
Visakhapatnam - 530 016 (A.R.)
Tel: 0891-2765826 Telefax: 0891-

DELHI:
Plot No. 420, Functional Ind. Estate,
Patparganj Industrial Area,
Delhi-110 092
Telefax: 011-22156143

COCHIN
D.No. 43/2526.27, SRM Road
Ernakulam North P. O.,
Cochin - 682018
Tel.: 0484-2405150/60
Fax: 0484-2405140

MADURAI:
7-A, Ratnaswamy, Nadar Road,
Chokkulam, Madurai - 625 002.
Tel.: 0452-2533808 0452-2520303

JAIPUR :
D-18-A-I, Meera Marg, Bani Park,
Jaipur-302 018. Tel: 0141 -2200152
Telefax: 0141-2207982

CALICUT:
23/1213-1214-1214A, 1214B Mini
Bypass Road Thiruvannur P.O.
Calicut-673029
Tel/Fax: 0495-2323672

COIMBATORE:
11, Captain Palaniswamy Layout,
Thadagam Road,
Coimbatore - 641 002.
Tel: 0422-2451811


KANPUR:
16-71, B Civil Line, Near Income
Tax Office, Kanpur-208 001 (U.P.)
Telefax: 0512-2306238

LUDHIANA: 4384, Block 30, Kirf Nagar, Chandigarh Road, Ludhiana -141001 (Pun.) Tel.: 0161-2603750

ALMONARD


AIR CIRCULATORS

Almonard - trusted for excellence in air technology for over 45 years




TEMPEST
450 mm (18")
WALL MOUNTING
AIR CIRCULATOR

- push button three speed control mounted within easy reach of hand
- verticle angle adjustment from 22° to 45°



**600 mm (24")
750 mm (30")
HEAVY DUTY
WALL MOUNTING
AIR CIRCULATOR**



- vertical angle adjustment from 22° to 45°



TEMPEST
450 mm (18")
PEDESTAL
AIR CIRCULATOR

- adjustable height
- strong streamlined pedestal for greater stability
- three speed control mounted on the column within easy reach of hand

- Aluminium alloy one-piece blade
- Double ball-bearing
- 90°C oscillation
- Sturdy Close-mesh gaurd
- Beautiful design
- Powerful heavy-duty motor



**600 mm (24")
750 mm (30")
HEAVY DUTY
PEDESTAL
AIR CIRCULATOR**

- adjustable height
- strong streamlined pedestal for greater stability

SPECIFICATION

SWEEP	Volts (V)	AC Cycle (C/S)	Power Consumption	Speed RPM	Phase	Air Del. M ³ /min	No. of Blades	No. of Speeds
450 mm (18")	230	50	100 W	1440	1	150	3	3

SPECIFICATION

SWEEP	Volts (V)	AC Cycle (C/S)	Power Consumption	Speed RPM	Phase	Air Del. M ³ /min	No. of Blades	No. of Speeds
600mm (24")	230	50	180 W	1440	1	270	3	1
750mm (30")	230	50	250 W	1440	1	400	3	1

AN ISO 9001-2008 CERTIFIED COMPANY



REGD. TRADE MARK

ALMONARD

Range of Ceiling Fans

NEW SUPER DELUXE



■ Matt Brown ■ White ■ Ivory

- ✓ 100% copper motor for durability
- ✓ Elegant fan with golden ring on motor and trim
- ✓ Wide aluminum blades & body for maximum air delivery
- ✓ Excellent long lasting paint finish



ISO 9001:2015



REGULAR

■ White ■ Matt Brown ■ Ivory

- ✓ 100% copper motor for durability
- ✓ High Efficiency Motor
- ✓ Powder coating for long lasting finish
- ✓ Elegant looks with sleek design
- ✓ Maximum Air Delivery & Silent Operation



MARK - II



■ Glossy Brown ■ White ■ Ivory

- ✓ 100% copper motor for durability
- ✓ Flat Elegant looks with sleek design
- ✓ High efficiency motor
- ✓ Powder coating for long lasting finish
- ✓ Maximum Air Delivery & Silent Operation

ALMONARD

POPULAR

- ✓ 100% copper motor for durability
- ✓ Decorative golden design
- ✓ Powder coating for long lasting finish



TECHNICAL SPECIFICATIONS

MODEL	VOLTS	AC CYCLES	POWER CONSUMPTION WATTS	SPEED RPM	AIR DELIVERY (M ³ /MIN)
600 mm (24")	230	50	65	850	120
900 mm (36")	230	50	65	375	160
1050 mm (42")	230	50	70	350	190
1200 mm (48")	230	50	72	340	220
1400 mm (56")	230	50	75	280	260

FEATURES OF ALMONARD CEILING FANS

SIZE OF 600mm / 900mm / 1050mm / 1200mm / 1400 mm

- OPERATING 220 TO 230 VOLTS, A.C. 50 Hz
- BEARING HEAVY DUTY DOUBLE BALL BEARING WITH TOLERANCE, HARDENED CARBON STEEL BALLS WITH PROTECTIVE SELF LUBRICATED WITH HIGH QUALITY GREASE FOR SMOOTH RUNNING.
- **BLADES:** WELL BALANCED WIDER BLADES MADE OUT OF ALUMINIUM SHEET, PROPERLY ANGLED AND DESIGNED FOR OPTIMUM AIR DELIVERY.
- **POWDER COATED:** GLOSSY AND MATT FINISHED POWDER COATED PAINT IN DIFFERENT COLOUR : HIGH QUALITY FINISH USING LATEST PAINTING EQUIPMENTS i.e. RUST PROOF, SCRATCH RESISTANCE, GLOSSY FINISH LONG LIFE DURABILITY



REGD. TRADE MARK

ALMONARD PRIVATE LIMITED

305, Kakad Chambers, 3rd Floor, 132, Dr. Annie Besant Road, Worli, Mumbai-400018. • CIN : U29300MH1968PTC014071
Tel.: 022-2492 6552, 2490 3463, 2490 2269, 2490 3094 • Fax : 022-2490 3760 • E-mail: almonard@bom7.vsnl.net.in
• Website : www.almonard.co.in

VADODARA Works : 852/2 & 853/1 GIDC, Makarpura, Vadodara - 390010 • Tel.: 0265-2633264 • Fax : 0265-2656330

CHENNAI Off. & Works : 439/3B, Ekambara Naicker Industrial Estate, Off Arcot Road, Alapakkam, Porur, Chennai-600 116.
Tel.: 044-2476 2100, 2476 2030, 2476 1424 • Fax : 044-2476 2627 • E-mail: almonard@mcl5.vsnl.net.in

PUNE:
Shop No. 11 & 12, "Ajinkya" Tara
Ground Floor, Ganesh Mala
Near Titan Watch Shop Sinhgad
Road, Pune - 411 030
Tel.: 020-65007878

BHUBANESHWAR:
Plot No. 3574/5486, At-Palasuri
Hat, Canal Road, PO G.G.P.
Bhubaneswar - 751 025.
TeleFax: 0674-2371157/2370056

BANGALORE:
315C 14th Cross,
P & J Compound, Sunkadakatte,
Chairman Kanyanna Indl. Estate,
Bangalore-560091, Tel: 060-
23281991 Telefax: 080-23281989

NAGPUR:
Venkatesh Apartment, 193,
Trimurtinagar, Square Ring Road,
Nagpur - 440 022
Telefax: 0712-223 6822

HYDERABAD:
5-5-33/23C,
Prashanti Nagar, Kukatpally,
Hyderabad-500 072,
TeleFax: 040-23070062/23070067

HUBLI:
H-25, 1st Gate Industrial Estate,
Gokul Road, Hubli-580 030,
Tel: 0836-2237959

AHMEDABAD:
306 & 307, Videocon Arizona, Near
Nav Gujarat College, Opp. Gujarat
Vidyapith, Income Tax, Ashram
Rd, Ahmedabad 380 013.
Telefax: 079-27542034/27542024

VIJAYAWADA:
D. No. 1-4-290-A,
R.T.C. Workshop Road,
Bhavanipuram,
Vijayawada-520012. Tel: 0866-

INDORE:
50, Vishnupuri Main,
A. B. Road,
Indore-452 001.
Telefax: 0731-2464676/2440730

SURAT:
Q-37 to 39, Raghuvir Cateum
Centre, Opp. Shyam Sangini Textile
Market-1, Kumbhariya Kadodara
Road, Surat-395010
Tel.: 0261-2644253

VISAKHAPATNAM:
D. No. 46-19-12, Mandavani Peta,
Behind Big Bazar, Dwarkanagar,
Visakhapatnam - 530 016 (A.R.)
Tel: 0891-2765826 Telefax: 0891-

DELHI:
Plot No. 420, Functional Ind. Estate,
Patparganj Industrial Area,
Delhi-110 092
Telefax: 011-22156143

COCHIN
D.No. 43/2526.27, SRM Road
Emakulam North P. O.,
Cochin - 682018
Tel.: 0484-2405150/60
Fax: 0484-2405140

MADURAI:
7-A, Ratnaswamy, Nadar Road,
Chokkikulam, Madurai - 625 002.
Tel.: 0452-2533808 0452-2520303

JAIPUR :
D-18-A-I, MeeraMarg, Bani Park,
Jaipur-302 016, Tel: 0141 -2200152
Telefax: 0141-2207982

CALICUT:
23/1213-1214-1214A, 1214B Mini
Bypass Road Thiruvannur P.O.
Calicut-673029
Tel/Fax: 0495-2323672

COIMBATORE:
11, Captain Palaniswamy Layout,
Thadagam Road,
Coimbatore - 641 002.
Tel: 0422-2451811

KANPUR:
16-71, B Civil Line, Near Income
Tax Office, Kanpur-208 001 (U.P.)
Telefax: 0512-2306238

LUDHIANA: 4384, Block 30, Kirti Nagar, Chandigarh Road, Ludhiana - 141001 (Pun.) Tel.: 0161-2603750



REGD. TRADE MARK

ALMONARD

*Unbeaten Excellence
in Ceiling Fans*

 Brown  Ivory  White

- ✓ 100% Copper Motor For Durability
- ✓ High Efficiency Motor
- ✓ Powder Coating For Long Lasting Finish
- ✓ Elegant Looks With Sleek Design
- ✓ Maximum Air Delivery & Silent Operation

POPULAR

HIGH SPEED (48") 1200mm



REGULAR

(36"/42"/48"/56")
900/1050/1200/1400mm



MARK - II

(48") 1200mm



 Matt Brown  Ivory  White

- ✓ 100% Copper Motor For Durability
- ✓ Elegant Fan With Golden Ring on Motor & Trim
- ✓ Wide Aluminium Blades & Body for Maximum Air Delivery
- ✓ Excellent Long lasting Paint Finish

NEW SUPER DELUXE

(48") 1200mm



NEW SUPER DELUXE METALLIC

(48") 1200mm



 Silver  Gold



Reliability • Quality • Dependability



REGD. TRADE MARK

ALMONARD

*Trusted for Excellence in Air Technology for Over 50 Years***T Cert**

ISO 9001:2015

REGULAR**HIGH SPEED** (24") 600mm

Brown Ivory White



MODEL	VOLTS	AC CYCLES	POWER CONSUMPTION WATTS	SPEED RPM	AIR DELIVERY (M ³ /MIN)
600 mm (24" H/S)	230	50	65	850	120
900 mm (36")	230	50	65	375	160
1050 mm (42")	230	50	70	350	190
1200 mm (48")	230	50	72	340	220
1200 mm (48" H/S)	230	50	75	400	230
1400 mm (56")	230	50	75	280	260

FEATURES OF ALMONARD CEILING FANS

SIZE OF 600 mm / 900 mm / 1050 mm / 1200 mm / 1400 mm

- ▶ OPERATING 220 TO 230 VOLTS, A.C. 50Hz
- ▶ BEARING HEAVY DUTY DOUBLE BALL BEARING WITH TOLERANCE, HARDENED CARBON STEEL BALLS WITH PROTECTIVE SELF LUBRICATED WITH HIGH QUALITY GREASE FOR SMOOTH RUNNING.
- ▶ **BLADES** : WELL BALANCED WIDER BLADES MADE OUT OF ALUMINUM SHEET, PROPERLY ANGLED AND DESIGNED FOR OPTIMUM AIR DELIVERY.
- ▶ **POWDER COATED** : GLOSSY AND MATT FINISHED POWDER COATED PAINT.
- ▶ **IN DIFFERENT COLOUR** : HIGH QUALITY FINISH USING LATEST PAINTING EQUIPMENT i.e. RUST PROOF : SCRATCH RESISTANCE, GLOSSY FINISH LONG LIFE DURABILITY.



REGD. TRADE MARK

ALMONARD PRIVATE LIMITED

CIN : U29300MH1968PTC014071

305, Kakad Chambers, 3rd Floor, 132, Dr. Annie Besant Road, Worli, Mumbai-400018. • Website : www.almonard.co.in
 Tel. : 022-2492 6552, 2490 3463, 2490 2269, 2490 3094 • Fax : 022-2490 3760 • E-mail : almonardconnect@gmail.com • salesalmonard@gmail.com
VADODARA Works : 852/2 & 853/1 GIDC, Makarpura, Vadodara - 390010 • Tel. : 0265-2633264 • Fax : 0265-2656330
CHENNAI Off. & Works : 439/3B, Ekambara Naicker Industrial Estate, Off Arcot Road, Alapakkam, Porur, Chennai-600 116.
 Tel. : 044-2476 2100, 2476 2030, 2476 1424 • Fax : 044-2476 2627 • E-mail : almonard@md5.vsnl.net.in

PUNE :
 Laxeshree, Plot No. 32, Ground Floor,
 Anandbagh Sec., ISI Blood Bank Lane,
 Navi Peth, Pune-411 030.
 Tel. : 9822018708

BHUBANESHWAR :
 Plot No. 3574/5486, A-1 Palasuni Hat,
 Canal Road, PO G.G.P.
 Bhubaneswar - 751 025.
 Telefax : 0674-2371157 / 0674-2370056

BANGALORE :
 31SC, P & J Compound, Sunkadakekha,
 Chairman Kariyanna Indl. Estate,
 Bangalore - 560091. Tel. : 080-23281989
 Telefax : 080-23281991

NAGPUR :
 Venkatesh Apartment, 193,
 Trimurtinagar, Square Ring Road,
 Nagpur - 440 022.
 Telefax : 0712-223 6822

HYDERABAD :
 S-5-33/23C,
 Prashanti Nagar, Kakatpally,
 Hyderabad - 500 072.
 Telefax : 040-23070062/23070087

HUBLI :
 H-25, 1st Gate Industrial Estate,
 Gokul Road, Hubli - 580 030.
 Tel. : 0836-2237959

AMMEDIABAD :
 306 & 307, Videcon Arizona, Near Nav
 Gujarat College, Opp. Gujarat Vidhyapeeth,
 Incenta Tax, Ashram Rd, Ahmedabad 380 013.
 Telefax : 079-27542034 / 27542024

VIJAYAWADA :
 D. No. 1-4-290-A,
 R.T.C. Workshop Road, Bhavanipuram,
 Vijayawada - 520 012.
 Tel. : 0866-2561946 Telefax : 0866-2341646

INDORE :
 Patwari Halka No. 17, Serve No. 3/01
 Goyal Compound, T.T. Nagar, Pipiliya Kurnar,
 Dawas Halka, Indore (M.P.) Pin - 452010
 M. 78260-22530 / 98269-14212
 98264-87166

SURAT :
 G-37 to 39, Raghuvir Celeum Centre,
 Opp. Shyam Sengini Textile Market-1,
 Kumbhariya, Kadodera Road,
 Surat - 395 010. Tel. : 0261-2644253

VISAKHAPATNAM :
 D. No. 46-19-12, Wandavari Peta,
 Behind Big Bazar, Dwarakanagar,
 Visakhapatnam - 530 016 (A.P.)
 Tel. : 0891-2765826 Telefax : 0891-2765826

DELHI :
 Plot No. 420, Functional Ind. Estate,
 Patparganj Industrial Area,
 Delhi - 110 092.
 Telefax : 011-22156143 Fax : 22143821

COCHIN :
 D.No. 43/2526, 27, SRM Road
 Ernakulam North P.O., Cochin - 682 018
 Tel. : 0484-2405150/60
 Fax : 0484-2405140

MADURAI :
 7-A, Ratnasamy, Nador Road,
 Chokkikulam, Madurai - 625 002.
 Tel. : 0452-2533808
 0452-2520303

JAIPUR :
 D-18-A-1, Meera Marg,
 Beni Park, Jaipur - 302 016.
 Tel. : 0141-2200152
 Telefax : 0141-2207982

CALICUT :
 23/1213-1214-1214A, 1214B
 Mini Bypass Road, Thiruvannur P.O.
 Calicut-673029
 Tel/Fax: 0495-2323672

COIMBATORE :
 11, Captain Palaniswamy Layout,
 Thadagam Road,
 Coimbatore - 641 002.
 Tel. : 0422-2451811

KANPUR :
 16-71, B Civil Line,
 Near Income Tax Office,
 Kanpur - 208 001. (U.P.)
 Telefax : 0512-2306238

LUDHIANA: 4384, Block 30, Kirri Nagar, Chandigarh Road, Ludhiana - 141010 (Pun.) Tel. : 0161-2603750

AN ISO 9001-2015 CERTIFIED COMPANY



REGD. TRADE MARK

ALMONARD

Ventilating Fans



HIGH SPEED
250 mm (10")



HIGH SPEED
200 mm (8")



Supreme 150 mm (6")



HIGH SPEED
200 mm (8")



Supreme 200 mm (8")



HIGH SPEED
150 mm (6")



Supreme 150 mm (6")



Supreme 200 mm (8")

Features

- Powerful robust motor fitted with perfect designed and balanced PVC impellers ensures minimum air cutting noise and maximum discharge of stale air.
- Eye catching colours to match with your decor.
- High tech powerful motor with vacuum oil impregnated bushes which make the bushes to last longer.
- High gloss Plastic Body.
- Louvre shutters open automatically when fan is switched on.

Specifications

SIZE mm (INCHES)	HIGH SPEED		NORMAL SPEED		VOLTS	CYCLE
	SPEED	WATTS	SPEED	WATTS		
150 mm (6")	2300	48	1350	64	230	50
200 mm (8")	2000	80	1300	70	230	50
250 mm (10")	-	-	1300	60	230	50

AN ISO 9001-2008 CERTIFIED COMPANY

ALMONARD

450 mm PEDESTAL / WALL FANS

TEMPEST MARK-II

450 MM (18")




450 mm (18")
PEDESTAL FAN



450 mm (18") WALL FAN
ADJUSTABLE VERTICAL ANGLE



450 mm (18")
PEDESTAL FAN



450 mm (18") WALL FAN
ADJUSTABLE VERTICAL ANGLE

Supreme

450 MM (18")

ISO 9001:2008



Certificate No.: Q1-4567/0

Specifications

Volts (V)	AC Cycles (C/S)	Power Consumption (W)	Speed (RPM)	No. Of Speeds	No. Of Blades	Air Delivery (M ³ /min)
230	50	80	1440	3	3	100

Specifications

Volts (V)	AC Cycles (C/S)	Power Consumption (W)	Speed (RPM)	No. Of Speeds	No. Of Blades	Air Delivery (M ³ /min)
230	50	55	1400	3	3	100

AN ISO 9001-2008 CERTIFIED COMPANY



REGD. TRADE MARK

ALMONARD PRIVATE LIMITED

305, Kalkad Chambers, 3rd Floor, 132, Dr. Annie Besant Road, Worli, Mumbai - 400 018.

Tel.: 2492 6552, 2490 3094, 2490 3463, 2490 2269. • Fax: 022-2490 3760. • E-mail: almonard@bom7.vsnl.net.in • Website: www.almonard.co.in

BARODA Works: 852/2 & 853/1 GIDC, Makarpura, BARODA - 390010. • Tel.: 2633264. • Fax: 2656330

CHENNAI Off. & Works: 439/3B, Ekambara Naicker Industrial Estate, Off Arcot Road, Alapakkam, Porur, Chennai - 600 116.

Tel.: 2476 2100, 2476 2030, 2476 1424. • Fax: 2476 2627. • Email: almonard@md5.vsnl.net.in

PUNE:
118/119 Industrial Comn. Complex,
Navi Peth, L. B. S. Road,
PUNE - 411 030.
Telefax: 2453 2728.

BHUBANESHWAR:
Plot No. 246/A, Zone-B,
Mancheswar Indl. Estate,
Mancheswar, Bhubaneswar - 751 010.
Tel.: 0674-2587767 Fax: 0674-2587757

BANGALORE:
315 C, P & J Compound,
Near Maruthi Tent, Sunkadakatte,
Bangalore - 560 091.
Tel.: 2328 1991 Telefax: 2328 1989

NAGPUR:
Venkatesh Apartment, 193,
Trimurtinagar, Square Ring Road,
NAGPUR - 440 022.
Telefax: 223 6822.

SECUNDERABAD:
5 & 6 Padma Plaza,
6-2-101/6, New Boiguda,
Secunderabad - 500 003.
Telefax: 2754 2788 Fax: 2754 2799

HUBLI:
Plot No. 23, Hebsur Compound,
Near Green Garden, Gokul Road,
Hubli - 580 030.
Tel.: (0836) 223 7959.

AHMEDABAD:
212, 2nd Floor, Nalanda Enclave,
Opp. Hotel Chicago, Ellisbridge,
AHMEDABAD - 380 006.
Telefax: 2658 4876.

VIJAYAWADA:
D. No. 1-4-245, R.T.C. Workshop Road,
Bhavaniparham,
Vijayawada - 520 012.
T/F: 0866-2416046 Tel.: 2561946

INDORE:
50, Vajrapur Main,
A. B. Road,
Indoor - 452 001.
Telefax: 246 4676, 244 0730.

SURAT:
House No. 17, Hutch Tower Building,
Saham, P.O. Saroli, Taluka Choryasi,
Dist. Surat - 395 010.
Tel.: (0261) 2644253

VISAKHAPATNAM:
Door No. 49-46-4,
N.T. School Road, Akkaryapalem,
Visakhapatnam - 530 016.
Tel/Fax: (0891) 2765826

DELHI:
Plot No. 420, Functional Ind. Estate,
Patparganj Industrial Area,
Delhi - 110 092.
Telefax: 2215 6143, 2215 6154.

COCHIN:
Door No. 36/3057,
Thermonam Pullepady Road,
Cochin - 682 017.
Tel.: (0484) 3063790 Fax: 3063788

MADURAI:
7-A, Ratnasamy, Nadar Road,
Chokkikulam, Madurai - 625 002.
Tel.: 0452-2533808
Fax: 0452-2520303.

JAIPUR:
D-18-A-1, Meera Marg,
Bani Park, Jaipur - 302 016.
Tel.: 0141-2200152,
Telefax: 220 7982

CALCUTTA:
23/1158 A&B Kambitta Valappa,
Cotton Mill Road, Thiruvannur
P.O. Calicut - 673 029.
Telefax: 232 3672.

COIMBATORE:
11, Captain Palaniswamy Layout,
Thadagam Road,
Coimbatore - 641 002.
Telefax: 245 1811.

KANPUR:
16-71, B Civil Line,
Near Income Tax Office,
Kanpur - 208 001. (U.P.)
Telefax: 230 6238.

JALANDHAR: Plot No. 1348, Lucky Market, Near Lucky Book Depot, Rama Mandi, Jalandhar. Tel.: 0181-6521192



REGD. TRADE MARK

ALMONARD

AIR CURTAINS



ALMONARD STANDARD MODEL



*Almonard...
trusted for
excellence in
air technology for
over 50 years*



ALMONARD SMART MODEL



ALMONARD SILENT MODEL



Aircurtain is an environmental separation equipment which prevents outside air, insects or hot air entry to the conditioned area through the open door ways or the door being opened at frequent intervals. The principle of Aircurtain is that it blows the atmosphere air at constant velocity at the doorways and forms a air stream for the entire width and height of the door openings. The velocity will vary depending on the effective throw of the air stream. Moreover, you can reduce your energy consumption considerably by holding the uniform cold air temperature at the air conditioned area. In total it is an energy conservation unit for the air conditioned area. It also eliminates the flies and other small insects infiltration through an open door in order to maintain the required hygienic standard in the specified areas.

SALIENT FEATURES OF ALMONARD AIR CURTAIN

The Different Type of Air Curtain Models are highlighted below based on their Velocity, Door Height and Application:

(A) ALMONARD STANDARD MODEL AIR CURTAINS ARE AVAILABLE IN 3 TYPES

1) **AHV - HIGH VELOCITY AIR CURTAINS - SINGLE PHASE** High velocity model can be used for industrial & commercial purpose where the door height is about 7 feet

2) **AEHV - EXTRA HIGH VELOCITY AIR CURTAINS - SINGLE PHASE/THREE PHASE** Model can be used where higher velocity is needed with door height upto 8 feet.

3) **AIB - INSECT BARRIER AIR CURTAINS - THREE PHASE** To arrest insects into the room where door height is around 9 ft to 10 ft.

(B) ALMONARD SILENT MODEL AIR CURTAINS ARE AVAILABLE IN SINGLE PHASE

1) **SILENT AIR CURTAINS - SINGLE PHASE** Model with 900 rpm motor is ideal for areas like air conditioned shops & malls with door height upto 7 ft

(C) ALMONARD SMART MODEL AIR CURTAINS ARE AVAILABLE IN SINGLE PHASE

1) **SMART AIR CURTAINS - SINGLE PHASE** Model with aesthetic look to match interiors with door height upto 7 ft.

1. The casing (Shell) of Air curtains is of robust construction.
2. The impellers are of aluminium construction with forward curved blades to minimise the air cutting noise. The casing and impellers can be made out of S.S. on special request.
3. Easy mounting arrangement with a flat frame which can be fixed on the wall by suitable coach screws.
4. Adjustable louvers to streamline air delivery.
5. ALMONARD air curtains are coupled with sturdy motors for continuous duty application.
6. Vibration free operation.
7. Pre-lubricated both side Bush bearing for AHV & AEHV models & self lubricated double ball bearings for AIB models for smooth running of air curtains.
8. Elegant look & with superior quality powder coated finish

Sl. No.	Model	Dimension	Velocity	Effective	Motor rating		Current Input		Noise	Weight
		IN mm		Air throw	Power	Speed	In Amps	Level		
		W X H X L	M/Sec.	In Mtrs	Watts	rpm	1Ph	3Ph	In Decibels	
Almonard Standard Model (AHV Series) - High Velocity										
1	AHV-2'	265X250X610	13/14	2	150	1400	1.5	-	68	18
2	AHV-3'	265X250X915	13/14	2	150	1400	1.5	-	68	20
3	AHV-1 mtr.	265X250X1000	13/14	2	150	1400	1.5	-	68	21
4	AHV-4'	265X250X1220	13/14	2	180	1400	2.5	-	70	26
5	AHV-5'	265X250X1525	13/14	2	250	1400	3.4	-	70	32
6	AHV-6'	265X250X1830	13/14	2	150 X 2	1400	1.5 X 2	-	72	35
7	AHV-2 mtr.	265X250X2000	13/14	2	150 X 2	1400	1.5 X 2	-	72	38
Almonard Standard Model (AEHV Series) - Extra High Velocity										
8	AEHV-2'	280X280X610	15/16	2.5	250	1400	3.4	1.2	72	25
9	AEHV-3'	280X280X915	15/16	2.5	250	1400	3.4	1.2	72	25
10	AEHV-1 mtr.	280X280X1000	15/16	2.5	250	1400	3.4	1.2	72	25
11	AEHV-4'	280X280X1220	15/16	2.5	370	1400	3.8	1.7	75	29
12	AEHV-5'	280X280X1525	15/16	2.5	370	1400	3.8	1.7	78	34
13	AEHV-6'	280X280X1830	15/16	2.5	250 X 2	1400	3.4x2	1.2 X 2	78	45
14	AEHV-2 mtr.	280X280X2000	15/16	2.5	250 X 2	1400	3.4x2	1.2 X 2	78	50
Almonard Standard Model (AIB Series) - Insect Barrier										
15	AIB-3'	360X365X915	20/22	3	750	1400	-	2.1	80	35
16	AIB-1 mtr.	360X365X1000	20/22	3	750	1400	-	2.1	80	39
17	AIB-4'	360X365X1220	20/22	3	1100	1400	-	3	82	46
18	AIB-5'	360X365X1525	20/22	3	1100	1400	-	3	82	51
19	AIB-6'	360X365X1830	20/22	3	750 X 2	1400	-	2.1 X 2	85	76
20	AIB-2 mtr.	360X365X2000	20/22	3	750 X 2	1400	-	2.1 X 2	85	79
Almonard Smart Model Type										
21	A.Smart--3'	290x190X915	11/12	2	150	1400	1.5	-	62	20
22	A.Smart--1 mtr.	290x190X1000	11/12	2	150	1400	1.5	-	62	21
23	A.Smart--4'	290x190X1220	11/12	2	150	1400	1.5	-	64	25
24	A.Smart--5'	290x190X1525	11/12	2	150	1400	1.5	-	64	28
25	A.Smart--6'	290x190X1830	11/12	2	150 X 2	1400	1.5 X 2	-	66	33
26	A.Smart--2 mtr.	290x190X2000	11/12	2	150 X 2	1400	1.5 X 2	-	66	37
Almonard Silent Model Type										
27	AHV-2' Silent	295X230X610	8/9	2	150	960	1.5	-	60	20
28	AHV-3' Silent	295X230X915	8/9	2	150	960	1.5	-	60	24
29	AHV-1 mtr. Silent	295X230X1000	8/9	2	150	960	1.5	-	60	25
30	AHV-4' Silent	295X230X1220	8/9	2	180	960	2.5	-	62	29
31	AHV-5' Silent	295X230X1525	8/9	2	250	960	3.4	-	62	34
32	AHV-6' Silent	295X230X1830	8/9	2	150 X 2	960	1.5 X 2	-	65	40
33	AHV-2 mtr. Silent	295X230X2000	8/9	2	150 X 2	960	1.5 X 2	-	65	42
For AIB Models Sensors/Limit switches are not recommended for continuous / frequent operations as it will affect the life of impeller.										

For AIB Models Sensors/Limit switches are not recommended for continuous / frequent operations as it will affect the life of impeller.



REGD. TRADE MARK

ALMONARD PRIVATE LIMITED

305, Kakad Chambers, 3rd Floor, 132, Dr. Annie Besant Road, Worli, Mumbai-400018. • CIN : U29300MH1968PTC014071

Tel. : 022-2492 6552, 2490 3463, 2490 2269, 2490 3094 • Fax : 022-2490 3760 • E-mail : almonard@bom7.vsnl.net.in • Website : www.almonard.co.in

VADODARA Works : 852/2 & 853/1 GIDC, Makarpura, Vadodara - 390010 • Tel. : 0265-2633264 • Fax : 0265-2656330

CHENNAI Off. & Works : 439/3B, Ekambara Naicker Industrial Estate, Off Arcot Road, Alapakkam, Porur, Chennai-600 116.

Tel. : 044-2476 2100, 2476 2030, 2476 1424 • Fax : 044-2476 2627 • E-mail : almonard@md5.vsnl.net.in

PUNE :

Shop No. 11 & 12, "Ajinkyataras"
Ground Floor, Ganesh Mole
Near Tiloni Watch Shop
Sinhgadi Road, Pune - 411 030
Tel. : 020-65007878

BHUBANESHWAR :

Plot No. 3574/5486, At - Palasuni Hat,
Canal Road, PO G.G.P.
Bhubaneswar - 751 025.
Telefax: 0674-2371157 / 0674-2370056

BANGALORE :

315C, P & J Compound, Sunkadakatte,
Chairman Kariyanna Indl. Estate,
Bangalore - 560091. Tel. : 080-23281989
Telefax: 080-23281991

NAGPUR :

Venkatesh Apartment, 193,
Trimurtinagar, Square Ring Road,
Nagpur - 440 022.
Telefax : 0712-223 6822

HYDERABAD :

S-5-33/23C,
Prashanti Nagar, Kakatpally,
Hyderabad - 500 072.
Telefax : 040-23070062/23070087

HUBLI :

N-25, 1st Gate Industrial Estate,
Gokul Road, Hubli - 580 030.
Tel. 0836-2237959

AHMEDABAD :

306 & 307, Vidyaan Arizona, Near Nav
Gujarat College, Opp. Gujarat Vidhyapeeth,
Income Tax, Ashram Rd, Ahmedabad 380 013.
Telefax : 079-27542034 / 27542024

VIJAYAWADA :

D. No. 1-4-290-A,
R.T.C Workshop Road, Bhavanipuram,
Vijayawada - 520 012.
Tel. 0866-2561946 Telefax: 0866-23416046

INDORE :

N-25, Vishnupuri Main,
A. B. Road,
Indore - 452 001.
Telefax : 0731-2464676 / 2440730

SURAT :

G-37 to 39, Raghuvir Calum Centre,
Opp. Shyam Sangini Textile Market-I,
Kumbhariya, Kadodara Road,
Surat - 395 010. Tel. : 0261-2644253

VISAKHAPATNAM :

D. No. 46-19-12, Mondavari Peta,
Behind Big Bazar, Dwarkanagar,
Visakhapatnam - 530 016 (A.P.)
Tel. 0891-2765826 Telefax: 0891-2765826

DELHI :

Plot No. 420, Functional Ind. Estate,
Patparganj Industrial Area,
Delhi - 110 092.
Telefax: 011-22156143 Fax: 22143821

COCHIN :

D.No. 43/2526, 27, SRM Road
Ernakulam North P.O., Cochin - 682 018
Tel. : 0484-2405150/60
Fax: 0484-2405140

MADURAI :

7-A, Ratnasamy, Nadar Road,
Chokkikulam, Madurai - 625 002.
Tel. : 0452-2533808
0452-2520303

JAIPUR :

D-18-A-1, Meera Marg,
Bani Park, Jaipur - 302 016.
Tel. : 0141-2200152
Telefax: 0141-2207982

CALCUT :

23/1213-1214-1214A, 1214B
Mini Bypass Road, Thiruvannur P.O.
Calicut-673029
Tel/Fax: 0495-2323672

COIMBATORE :

11, Captain Palaniswamy Layout,
Thodagam Road,
Coimbatore - 641 002.
Tel. : 0422-2451811

KANPUR :

16-71, B Civil Line,
Near Income Tax Office,
Kanpur - 208 001. (U.P.)
Telefax : 0512-2306238

LUDHIANA: 4384, Block 30, Kirti Nagar, Chandigarh Road, Ludhiana - 141001 (Pun.) Tel. : 0161-2603750

ALMONARD

INDUSTRIAL MANCOOLER

ISO 9001:2000



Certificate No.: QI-4567 07



PEDESTAL



WALL MOUNTING



REGD. TRADE MARK



TUBULAR

Proven Performance
QUALITY • DEPENDABILITY • RELIABILITY

'ALMONARD' has included Mancooler in its product range to facilitate the shop floor in the industries to provide a better environment for their employees which in turn results by the increase in production.

'ALMONARD' Mancoolers are designed for large Air Volume discharge with high velocity and for long distance sweep.

'ALMONARD' Mancoolers can be used in various applications such as Arc furnaces, Drier Annealing furnaces, cooling the electrical equipments, for general comfort and proper ventilation in the shop floors.

'ALMONARD' Mancoolers are available in three types: Wallmounting or Bracket, Pedestal and Tubular type.

WALLMOUNTING OR BRACKET TYPE

The Wallmounting Mancoolers are suitable for mounting at higher elevation in the wall or stanchion to avoid the occupation of floor

space. These fans are mounted on steel pipe with suitable holes in the base plates for heavy duty Motors.


PEDESTAL TYPE

These type Mancoolers are designed to stand on the shop floors. The cast aluminium alloy, statically and dynamically balanced impeller of high efficiency Aerofoil Section blade is mounted directly on the motor shaft with suitable, sturdy protection guards and mounted on the steel pipe with motor base plate. The cast iron solid base holds the assembly on the floor free from Vibration. The Air throw can be adjusted vertically for various positions. Castor wheels can be provided for the special application on specific request.

TUBULAR TYPE

In this type of Mancoolers, the impeller and Motor Assembly is mounted in the circular casing with suitable stand arrangement. This can be moved from place to place easily even in rough floor areas. The Air flow can be adjusted vertically for any convenient Position. Necessary protection guards are also provided on both sides of the casing.

AIR VELOCITY AND TRAVEL DIAGRAM (FOR MANCOOLERS)




TECHNICAL SPECIFICATION FOR INDUSTRIAL HEAVY DUTY TYPE MAN COOLER

Sweep mm/ Inches	H.P.	RPM	Total air delivery 10 times blade sweep (M ³ /Hr)	MINIMUM PEAK AIR VELOCITY AT A DISTANCE OF	
				10 times blade sweep (M/min.)	15 times blade sweep (M/min.)
450 (18")	0.5	1370	12000	200	150
450 (18")	2.0	2810	24000	250	200
600 (24")	0.75	1400	28000	250	150
750 (30")	2.0	1400	37500	250	150
900 (36")	2.0	920	58000	250	150
900 (36")	3.0	1400	65000	275	175
1200 (48")	7.5	950	74500	250	150

1. Motors are generally available for 415V, 3 Phase, 50Hz, AC supply.
2. Performance figures conform to IS 6272 with tolerances mentioned therein.
3. Specifications are subject to change without notice due to continuous development and innovation.

WALL MOUNTING ARRANGEMENT



TYPE	SIZE mm/inch	A	B	C	Ø D1	Ø D2	L	H	Ø d
WMC-45	450/18"	250	200	16	500	48	600	250	15
WMC-60	600/24"	250	200	16	650	48	600	250	15
WMC-75	750/30"	265	200	16	800	76	560	260	15
WMC-90	900/36"	265	200	16	950	76	560	272	15



ALMONARD PRIVATE LIMITED

305, Kakad Chambers, 3rd Floor, 132, Dr. Ambedkar Road, Worli, Mumbai - 400 018.
Tel.: 2492 6552, 2490 3094, 2490 3463, 2490 2269 • Fax: 022-2490 3760 • E-mail: almonard@vsnl.net
BARODA Works: 8502/2 & 853/1 GDC, Nakarpur, BARODA - 390010. • Tel.: 2642264 • Fax: 2656330
CHENNAI OFF. & Works: 43/38, Elumbura Nuclear Industrial Estate, Off Arcot Road, Alappavaram, Porur, Chennai - 600 116. • Tel.: 2475 2100, 2476 2030, 2476 1424 • Fax: 2476 2627 • Email: almonard@vsnl.net

PUNE
S3/86, New Industrial Area,
New Peth, L. B. S. Road,
PUNE - 411 030.
Telephone: 2453 7298

BHUBANESHWAR
S3/86, New Industrial Area,
P.O. Rasulgarh,
Bhubaneswar - 751 010.
Tel.: 0674-258 7767 Fax: 0674-258 7757

BANGALORE
230, Moggi Main Road,
Bangalore - 560 023.
Tel.: 2338 1669
Fax: 2330 3865

MAGPUR
Vardhman Apartment, 193,
Trinamangal, Square Ring Road,
MAGPUR - 480 022.
Telephone: 223 4622

SECUNDERABAD
5 & 6 Padma Plaza,
6-2-101/6, New Baidoo,
Secunderabad - 500 003.
Telephone: 2754 2788 Fax: 2754 2799

HUBLI
Plot No. 23, Hubli Compound,
Near Green Garden, Gokul Road,
Hubli - 580 030
Tel.: (0836) 223 7959

AMBEDKAR
212, 2nd Floor, Malando Enclave,
Opp. Hotel Chicago, Elkhridge,
AMBEDKAR - 380 006.
Telephone: 2658 4676

VILAYATNAGAR
D. No. 1-4-245, R.E.C. Workshop Road,
Bhopalpur,
Vilayatinagar - 520 012.
T/F - 0866-2414046 Tel.: 2561946

INDORE
S8, Vishnupur Main,
A. B. Road,
Indore - 452 001.
Telephone: 246 4676, 244 0730

SURAT
House No. 17, Hathi Tower Building,
Saham, P.O. Sonali, Taluka Choryasi,
Dist. Surat - 395 010.

WISAKHAPATNAM
Boat No. 18-52-53, 1st Floor,
Beside P.M. Ex. Bldg.,
Sankar Mahan Road, Sankarapuram,
Wishakhapatnam - 530 016. Tel.: 0861-253536

DELHI
Plot No. 428, Functional Ind. Estate,
Patparganj Industrial Area,
Delhi - 110 092.
Telephone: 2215 6143, 2215 6154

COCHIN
Door No. 36/3857,
Thommenon Palpeppady Road,
Cochin - 682 017.
Tel.: 0484 - 3063788 Tel. 3063790

MADRAS
7-A, Rameswari, Nader Road,
Chokkikulam, Madurai - 625 002.
Tel.: 0452-2533808
Fax: 0452-2520303

JAIPOUR
D-18-A-1, Maana Wang,
Bani Park, Jaipur - 302 016.
Tel.: 0141-2290152,
Telephone: 229 7982


CALCUTTA
23/1151 A&B Kanabha Velpada,
Cathedral Road, Thiruvananthapuram
Calicut - 673 029.
Telephone: 232 3672

COIMBATORE
11, Captain Palanisamy Layout,
Thodagan Road,
Coimbatore - 641 002.
Telephone: 232 1811

KANPUR
16-71, B Civil Line,
Near Income Tax Office,
Kanpur - 208 001. (U.P.)
Telephone: 230 6298

ALMONARD

SUPREME FANS



Supreme
HIGH SPEED
Wall Fan 12"



Supreme
HIGH SPEED
Wall Fan 16"



Supreme
Wall Fan 18"



Supreme
HIGH SPEED
Pedestal Fan 16"



ALMONARD

VENTILATING FANS




HIGH SPEED
with
louver Shutter
6"/8"/10"



Eco Vent
6"/8"/10"



Eco Axial
4"/6"




Supreme 200 mm (8")

ALMONARD

CEILING FANS

Super Deluxe - 48"



Regular - 24" / 36" / 42" / 48" / 56"



Popular - 24"



ALMONARD

HI-SPEED FANS




HIGH SPEED
Wall Fan 12"



HIGH SPEED
Table
Fan 16"



HIGH SPEED
Wall Fan 16"



HIGH SPEED
Pedestal
Fan 16"



HIGH SPEED
Tynie Deluxe
Fan 9"

ALMONARD

EXHAUST FANS



Heavy Duty Exhaust Fans
12"/15"/18"/24"/30"/36"




LIGHT DUTY FRESH AIR FAN
9" / 12"




IN & OUT FAN
9" / 12"

ALMONARD


AIR CIRCULATORS



Wall Air Circulator
18"



**Heavy Duty
Wall Mounting
Air Circulators**
24"/30"



**Heavy Duty
Pedestal
Air Circulators**
24" / 30"

ALMONARD

INDUSTRIAL MANCOOLERS



**Tubular
Mancooler**



**Wall Mounting
Mancooler**



**Pedestal
Mancooler**



**Duct Mounted
Axial Flow Fan**

ALMONARD

AIR CURTAINS




STANDARD MODEL



SMART MODEL

TEMPEST MARK-II

MARK - II SERIES



**Pedestal
Fan 18"**



Wall Fan 18"

ALMONARD

CABIN FANS



HIGH SPEED
Cabin Fan
9"/12"/16"



AIRSTORM FANS



Airstorm
Wall Fan 16"



Airstorm
Pedestal
Fan 16"

Trusted for Excellence in
Air Technology for Over **50 Years**

ALMONARD

PRIVATE LIMITED

AN ISO 9001-2015 CERTIFIED COMPANY



CIN : U29300MH1968PTC014071

Regd. & Head Office : 305, Kakad Chambers, 3rd Floor, 132,
Dr. Annie Besant Road, Worli, Mumbai - 400 018. T : 022-24926552 /
022-24903463 / 022-24902269 • F : 022-24903760
E-mail : almonardconnect@gmail.com • sales@almonard@gmail.com
VADODARA Works : 852/2 & 853/1, GIDC, Makarpura,
Vadodara - 390 010. T : 0265-2633264 • F : 0265-2656330
CHENNAI OIL & Works : 439/3B, Elambara Naicker Ind. Estate,
Off. Arcot Road, Alagakkam, Porur, Chennai - 600 116.
T : 044-24762100 / 24762030 / 24761424 • F : 044-24762627
E-mail : almonard@md5.vsnl.net.in

PUNE : 020-65007878 • **NAGPUR** : 0712-2236822
AHMEDABAD : 079-27542024/34 • **SURAT** : 0261-2644253
COCHIN : 0484-2405150/2405160 • **CALCUT** : 0495-2323672
BHUBANESWAR : 0674-2370056 • **HYDERABAD** : 040-23070087
VIJAYAWADA : 0866-2561946 • **VISAKHAPATNAM** : 0891-2765826
MADURAI : 0452-2533808 • **COIMBATORE** : 0422-2451811
BANGALORE : 080-23281989/991 • **HUBLI** : 0836-2237959
INDORE : 0731-2464676 • **DELHI** : 011-43021640/22156143
JAIPUR : 0141-2200152 • **KANPUR** : 0512-2306238
LUDHIANA : 0161-2603750

Reliability • Quality • Dependability

www.almonard.co.in



REGD. TRADE MARK

ALMONARD*Proven Performance
in Air Technology***HIGH SPEED**
400mm (16")
Wall Fan**HIGH SPEED**
300mm (12")
Wall Fan**HIGH SPEED**
400mm (16")
Table Fan**HIGH SPEED**
400mm (16")
Pedestal Fan**Specifications**

SWEEP	Volts (V)	AC Cycles Hz	Power Consumption (W)	Speed (RPM)	Air Delivery (M ³ /min)
300 mm (12") WALL FAN	230	50	100	2000	70
400 mm (16") WALL / PEDESTAL / TABLE FAN	230	50	120	1800	75



REGD. TRADE MARK

ALMONARD PRIVATE LIMITED

CIN : U29300MH1968PTC014071

305, Kakad Chambers, 3rd Floor, 132, Dr. Annie Besant Road, Worli, Mumbai-400018. • Website : www.almonard.co.in
 Tel. : 022-2492 6552, 2490 3463, 2490 2269, 2490 3094 • Fax : 022-2490 3760 • E-mail : almonardconnect@gmail.com • salesalmonard@gmail.com
VADODARA Works : 852/2 & 853/1 GIDC, Makarpura, Vadodara - 390010 • Tel. : 0265-2633264 • Fax : 0265-2656330
CHENNAI Off. & Works : 439/3B, Ekambara Naicker Industrial Estate, Off Arcot Road, Alapakkam, Porur, Chennai-600 116.
 Tel. : 044-2476 2100, 2476 2030, 2476 1424 • Fax : 044-2476 2627 • E-mail : j.almonard@rediffmail.com • almpcd@gmail.com

PUNE :
Loolashree, Plot No. 32, Ground Floor,
Anandbagh Soc., ISI Road Bank Lane,
Navi Peth, Pune-411 030.
M: 9822018708

BHUBANESHWAR :
Plot No. 3574/5486, At - Palasuni Hat,
Canal Road, PO G.G.P.
Bhubaneswar - 751 025.
TeleFax: 0674-2371157 / 0674-2370056

BANGALORE :
315C, P & J Compound, Sunkadakatte,
Chairman Kariyanna Indl. Estate,
Bangalore - 560091. Tel: 080-23281989
Telefax: 080-23281991

MAGPUR :
Venkatesh Apartment, 193,
Trimurtinagar, Square King Road,
Maggur - 440 022.
Telefax : 0712-223 6822

HYDERABAD :
S-5-33/23C,
Prashanti Nagar, Kukatpally,
Hyderabad - 500 072.
TeleFax : 040-23070062/23070087

AHMEDABAD :
306 & 307, Videcon Arizona, Near Nari
Gujarat College, Opp. Gujarat Vidhyapeeth,
Income Tax, Ashram Rd, Ahmedabad 380 013.
Telefax : 079-27542034 / 27542024

VILAYAWADA :
D. No. 1-4-290-A,
R.T.C. Workshop Road, Bhavanipuram,
Vilayawada - 520 012.
Tel: 0866-2561946 Telefax: 0866-23416046

INDORE :
Paheri Halka No. 17, Serve No. 3/01
Gayal Compound, T.T. Nagar, Piplya Kurva,
Dewan Naka, Indore (M.P.) Pin - 452010
M: 78280-22530 / 98269-14212
98264-87166

SURAT :
G-37 to 39, Raghuvir Celeum Centre,
Opp. Shyam Sangini Textile Market-I,
Kumbhariya, Kodedera Road,
Surat - 395 010. Tel : 0261-2644253

VISAKHAPATNAM :
D. No. 46-19-12, Mandavari Peta,
Behind Big Bazar, Dwarakanagar,
Visakhapatnam - 530 016 (A.P.)
Tel: 0891-2765826 Telefax: 0891-2765826

DELHI :
Plot No. 420, Functional Ind. Estate,
Putparagan Industrial Area,
Delhi - 110 092.
Telefax: 011-22156143 Fax: 22143821

COCHIN :
D.No. 43/2526, 27, SRM Road
Ereakulam North P.O., Cochin - 682 018
Tel. : 0484-2405150/60
Fax: 0484-2405140

MADURAI :
7-A, Ratnasamy, Nader Road,
Chokkikulam, Madurai - 625 002.
Tel. : 0452-2533808
0452-2520303

JAIPUR :
D-18-A-1, Meera Marg,
Bani Park, Jaipur - 302 016.
Tel. : 0141-2200152
Telefax : 0141-2207982

CALCUT :
23/1213-1214-1214A, 1214B
Mini Bypass Road, Thiruvannur P.O.
Calicut-673029
Tel/Fax: 0495-2323672

COIMBATORE :
11, Captain Palaniswamy Layout,
Thodagam Road,
Coimbatore - 641 002.
Tel: 0422-2451811

KANPUR :
16-71, B Civil Line,
Near Income Tax Office,
Kanpur - 208 001. (U.P.)
Telefax : 0512-2306238

LUDHIANA : 4384, Block 30, Kirti Nagar, Chandigarh Road, Ludhiana - 141010 (Pun.) Tel. : 0161-2603750

AN ISO 9001-2015 CERTIFIED COMPANY



REGD. TRADE MARK

ALMONARD

*Proven Performance
in Air Technology*



- ◆ Robust Design with Cast Aluminium Blade
- ◆ Aerofoil Blade Design for High Air Flow
- ◆ Full Powder Coated Body and Blade for Long Life
- ◆ Push Button Type 3 Speed Control Function



**450mm (18")
MARK-II
Wall Fan**



**450mm (18")
MARK-II
Pedestal Fan**

TEMPEST MARK-II



**450mm (18")
MARK-II
Pedestal Fan**



**450mm (18")
MARK-II
Wall Fan**

- ◆ 90° Oscillation Feature with On Off Function
- ◆ Pedestal Fan with Height Adjustment Feature
- ◆ Wall Fan with Vertical Adjustment Feature from 22° to 45°
- ◆ Available in Beige and Black Colour

Specifications

Volts (V)	AC Cycles Hz	Power Consumption (W)	Speed (RPM)	No. Of Speeds	No. Of Blades	Air Delivery (M ³ /min)
230	50	80	1400	3	3	100

Reliability • Quality • Dependability




ALMONARD

FRESH AIR EXHAUST FAN


MEDIUM DUTY



LIGHT DUTY



ZOOM



IMPELLER DIA		A	B	C	D	E	NET WEIGHT
INCHES	mm.	mm.	mm.	mm.	mm.	mm.	KG.
6" MD	150	160	170	215	85	140	1.940
9" MD	230	220	235	292	100	155	2.560
12" MD	300	305	320	385	100	162	3.420
9" LD	230	220	235	300	100	155	2.100
12" LD	300	305	320	385	100	160	2.680
9" ZOOM	230	220	235	300	100	155	2.100
12" ZOOM	300	305	320	385	100	160	2.680
9" AIRVENT	225	220	230	290	130	195	2.860
12" AIRVENT	300	309	320	390	90	210	3.320

Specifications for Fresh Air Exhaust Fan :

S.NO.	ITEM	VOLTS	WATT	RPM	AMP	P.F.	M ³ / HR CMH
1	6" MD	230	50	2300	0.27	0.80	650
2	9" MD	230	56	1350	0.34	0.71	700
3	12" MD	230	90	1350	0.65	0.60	1050
4	9" LD	230	50	1350	0.32	0.65	600
5	12" LD	230	70	1350	0.41	0.73	1000
6	16" LD	230	98	1280	0.35	0.82	600
7	6" VT H/S	230	52	2300	0.21	0.92	900
8	8" VT H/S	230	90	2000	0.35	0.93	850
9	10 VT	230	60	1350	0.25	0.95	1300
10	9" ZOOM	230	62	1350	0.21	0.78	530
11	12" ZOOM	230	79	1350	0.35	0.98	650
12	TYNIE	230	45	2500	0.18	0.92	780
13	A.P.	230	78	2300	0.32	0.94	850
14	9" AIR VENT	230	45	1400	0.21	0.93	850
15	12" AIR VENT	230	75	1350	0.35	0.93	1400
16	9" CABIN	230	60	2300	0.24	0.92	59
17	12" CABIN	230	83	2000	0.32	0.94	85
18	16" CABIN	230	115	1350	0.48	0.96	102
19	6" VT NORMAL	230	45	1300	0.21	0.93	300
20	8" VT NORMAL	230	45	1350	0.21	0.93	400

VENTILATING FAN





REGD. TRADE MARK

ALMONARD*Unbeaten Excellence
in Domestic Fans***Supreme****HIGH SPEED**400mm (16")
WALL FAN
RPM - 2000**Supreme****HIGH SPEED**400mm (12")
WALL FAN
RPM - 2000**Supreme****NORMAL SPEED**400mm (16")
WALL FAN
RPM - 1400**Specifications**

Volts (V)	AC Cycles (C/S)	Power Consumption (W)	No. Of Speeds	No. Of Blades	Air Delivery (M ³ /min)
230	50	80	3	3	100

**Supreme****HIGH SPEED**400mm (16")
PEDESTAL FAN
RPM - 2000**Supreme****HIGH SPEED**400mm (16")
PEDESTAL FAN
RPM - 2000**Supreme****NORMAL SPEED**400mm (16")
PEDESTAL FAN
RPM - 1400**Supreme VENTILATING FANS****Supreme**

6" / 8" / 10"

Features

- Powerful robust motor fitted with perfect designed and balanced PVC impellers ensures minimum air cutting noise and maximum discharge of stale air.
- Eye catching colours to match with your decor.
- High tech powerful motor with vacuum oil impregnated bushes which makes the bushes to last longer.
- High gloss Plastic Body.
- Louvre shutters open automatically when fan is switched on.

Specifications

SIZE mm (INCHES)	HIGH SPEED		NORMAL SPEED		VOLTS	CYCLE
	SPEED	WATTS	SPEED	WATTS		
150 mm (6")	2300	48	1350	64	230	50
200 mm (8")	2000	80	1300	70	230	50
250 mm (10")	-	-	1300	60	230	50

Reliability • Quality • Dependability



REGD. TRADE MARK

ALMONARD

Trusted for Excellence in Air Technology for Over 50 Years

Supreme




450mm (18")
PEDESTAL FAN



450mm (18")
WALL FAN



450 mm (18")
PEDESTAL FAN



450 mm (18") WALL FAN
ADJUSTABLE VERTICAL ANGLE

Specifications

Volts (V)	AC Cycles (C/S)	Power Consumption (W)	Speed (RPM)	No. Of Speeds	No. Of Blades	Air Delivery (M ³ /min)
230	50	70	1400	3	3	100



REGD. TRADE MARK

ALMONARD PRIVATE LIMITED

CIN : U29300MH1968PTC014071

305, Kakad Chambers, 3rd Floor, 132, Dr. Annie Besant Road, Worli, Mumbai-400018. • Website : www.almonard.co.inTel. : 022-2492 6552, 2490 3463, 2490 2269, 2490 3094 • Fax : 022-2490 3760 • E-mail : almonardconnect@gmail.com • salesalmonard@gmail.com**VADODARA Works :** 852/2 & 853/1 GIDC, Makarpura, Vadodara - 390010 • Tel. : 0265-2633264 • Fax : 0265-2656330**CHENNAI Off. & Works :** 439/3B, Ekambara Naicker Industrial Estate, Off Arcot Road, Alapakkam, Ponur, Chennai-600 116.Tel. : 044-2476 2100, 2476 2030, 2476 1424 • Fax : 044-2476 2627 • E-mail : almonard@md5.vsnl.net.in

PUNE :
Shop No. 11 & 12, "Ajinkya" Ground Floor, Genesh Mala Near Titan Watch Shop, Sinhgad Road, Pune - 411 030
Tel. : 020-65007878

BHUBANESHWAR :
Plot No. 3574/5486, Ar - Palasuni Hat, Canal Road, PO G.C.P. Bhubaneswar - 751 025.
TeleFax: 0674-2371157 / 0674-2370056

BANGALORE :
315C, P & J Compound, Sunkadakatte, Chairman Kariyanna Indl. Estate, Bangalore - 560091. Tel: 080-23281989
Telefax: 080-23281991

NAGPUR :
Venkatesh Apartment, 193, Trimurtinagar, Square Ring Road, Nagpur - 440 022.
Telefax : 0712-223 6822

HYDERABAD :
S-5-33/23C, Prashanti Nagar, Kakatpally, Hyderabad - 500 072.
TeleFax : 040-23070062/23070087

HUBLI :
W-25, 1st Gate Industrial Estate, Gokul Road, Hubli - 580 030.
Tel. 0836-2237959

AMMADABAD :
306 & 307, Videcon Arizona, Near Nav Gujarat College, Opp. Gujarat Vidhyapath, Income Tax, Ashram Rd, Ahmedabad 380 013.
Telefax : 079-27542034 / 27542024

VILJAYWADA :
D. No. 1-4-290-A, R.T.C. Workshop Road, Bhevaniparam, Vijayawada - 520 012.
Tel. 0866-2561946 Telefax: 0866-23416046

INDORE :
50, Vishnupuri Main, A. B. Road, Indore - 452 001.
Telefax : 0731-2464676 / 2440730

SURAT :
G-37 to 39, Raghuvir Celsium Centre, Opp. Shyam Sangini Textile Market-1, Kumbhariya, Kadodara Road, Surat - 395 010. Tel : 0261-2644253

VISAKHAPATNAM :
D. No. 46-19-12, Mandavari Peta, Behind Big Bazar, Dwarakanagar, Visakhapatnam - 530 016 (A.P.)
Tel. 0891-2765826 Telefax: 0891-2765826

DELHI :
Plot No. 420, Functional Ind. Estate, Patparganj Industrial Area, Delhi - 110 092.
Telefax: 011-22156143 Fax: 22143821

COCHIN :
D.No. 43/2526, 27, SRM Road, Ernakulam North P.O., Cochin - 682 018
Tel. : 0484-2405150/60
Fax: 0484-2405140

MADURAI :
7-A, Ratnasamy, Nadar Road, Chokkikulam, Madurai - 625 002.
Tel. : 0452-2533808
0452-2520303

JAIPUR :
D-18-A-1, Meera Marg, Bani Park, Jaipur - 302 016.
Tel. : 0141-2200152
Telefax : 0141-2207982

CALCUTTA :
23/1213-1214-1214A, 1214B Mini Bypass Road, Thiruvannur P.O. Calicut-673029
Tel/Fax: 0495-2323672

COIMBATORE :
11, Captain Palaniswamy Layout, Thadagam Road, Coimbatore - 641 002.
Tel: 0422-2451811

KANPUR :
16-71, B Civil Line, Near Income Tax Office, Kanpur - 208 001. (U.P.)
Telefax : 0512-2306238

LUDHIANA: 4384, Block 30, Kirti Nagar, Chandigarh Road, Ludhiana - 141001 (Pun.) Tel. : 0161-2603750

AN ISO 9001-2015 CERTIFIED COMPANY



ALMONARD PVT LTD - DELHI

(PRICES EFFECTIVE FROM 25th April, 2019)

S.No.	HSN Code	Size	Product	New MRP
1	84145130	305 MM	12" WALL HIGH SPEED	2,220/-
2	84145110	400 MM	16" TABLE HIGH SPEED	2,405/-
3	84145130	400 MM	16" WALL HIGH SPEED	2,930/-
4	84145130	400 MM	16" PEDESTAL HIGH SPEED	3,425/-
5	84145130	450 MM	18" TEMPEST MARK II - Wall	4,695/-
6	84145130	450 MM	18" TEMPEST MARK II - Pedestal	5,150/-
7	84145910	450 MM	18" Wallmounting AIR CIRCULATOR	7,180/-
8	84145910	450 MM	18" Pedestal AIR CIRCULATOR	7,550/-
9	84145910	600 MM	24" Wallmounting AIR CIRCULATOR	9,520/-
10	84145910	600 MM	24" Pedestal AIR CIRCULATOR	10,120/-
11	84145910	750 MM	30" Wallmounting AIR CIRCULATOR	11,380/-
12	84145910	750 MM	30" Pedestal AIR CIRCULATOR	12,000/-
13	84145910	600 MM	24" Regulator	1,630/-
14	84145910	750 MM	30" Regulator	1,730/-
15	84145130	305 MM	12" WALL FAN (SUPREME H/S)	2,200/-
16	84145110	305 MM	12" TABLE FAN (SUPREME H/S)	2,320/-
17	84145110	400 MM	16" TABLE FAN (SUPREME)	2,000/-
18	84145130	400 MM	16" WALL FAN (SUPREME)	2,100/-
19	84145130	400 MM	16" WALL FAN (SUPREME H/S)	2,650/-
20	84145130	400 MM	16" PED. FAN (SUPREME)	2,350/-
21	84145130	400 MM	16" PED. FAN (SUPREME H/S)	2,950/-
22	84145130	450 MM	18" WALL FAN (SUPREME)	2,900/-
23	84145130	450 MM	18" PED. FAN (SUPREME)	3,200/-
24	84145130	400 MM	16" WALL FAN AIRSTORM	2,265/-
25	84145130	400 MM	16" PEDESTAL FAN AIRSTORM	2,750/-
26	84145110	400 MM	16" TABLE FAN AIRSTORM	2,150/-
27	84145990	305 MM	12" H.D. EX. FAN (1 PH. 1400 RPM)	3,215/-
28	84145990	305 MM	12" H.D. EX. FAN (1 PH. 900 RPM)	3,215/-
29	84145990	380 MM	15" H.D. EX. FAN (1 PH. 1400 RPM)	3,835/-
30	84145990	380 MM	15" H.D. EX. FAN (1 PH. 900 RPM)	3,685/-
31	84145990	450 MM	18" H.D. EX. FAN (1 PH. 1400 RPM)	5,460/-
32	84145990	450 MM	18" H.D. EX. FAN (1 PH. 900 RPM)	5,025/-
33	84145990	600 MM	24" H.D. EX. FAN (1 PH. 700 RPM)	9,465/-
34	84145990	600 MM	24" H.D. EX. FAN (1 PH. 900 RPM)	9,965/-
35	84145990	750 MM	30" H.D. EX. FAN (1 PH. 900 RPM)	19,340/-
36	84145990	380 MM	15" H.D. EX. FAN (3 PH. 1400 RPM)	4,050/-
37	84145990	380 MM	15" H.D. EX. FAN (3 PH. 900 RPM)	3,950/-
38	84145990	450 MM	18" H.D. EX. FAN (3 PH. 1400 RPM)	5,825/-
39	84145990	450 MM	18" H.D. EX. FAN (3 PH. 900 RPM)	5,550/-
40	84145990	600 MM	24" H.D. EX. FAN (3 PH. 700 RPM)	9,965/-
41	84145990	600 MM	24" H.D. EX. FAN (3 PH. 900 RPM)	10,345/-
42	84145990	750 MM	30" H.D. EX. FAN (3 PH. 900 RPM)	19,925/-
43	84145990	900 MM	36" H.D. EX. FAN (3 PH. 700 RPM)	27,030/-
44	84145190	225 MM	9" TYNIE	1,625/-
45	84145190	305 MM	12" ALL PURPOSE	1,945/-
46	84145190	225 MM	9" CABIN FAN	1,660/-
47	84145190	305 MM	12" CABIN FAN	1,785/-
48	84145190	400 MM	16" CABIN FAN	2,200/-

S.No.	HSN Code	Size	Product	New MRP
49	84145190	150 MM	6" M.D. EX. FAN (FRESH AIR)	1,220/-
50	84145190	225 MM	9" M.D. EX. FAN (FRESH AIR)	1,420/-
51	84145190	305 MM	12" M.D. EX. FAN (FRESH AIR)	1,700/-
52	84145190	225 MM	9" L.D. EX. FAN	1,330/-
53	84145190	305 MM	12" L.D. EX. FAN	1,550/-
54	84145190	400 MM	16" L.D. EX. FAN	1,880/-
55	84145190	225 MM	9" IN & OUT	1,890/-
56	84145190	305 MM	12" IN & OUT	2,025/-
47	84145190	225 MM	9" ZOOM	1,260/-
48	84145190	305 MM	12" ZOOM	1,410/-
49	84145190	150 MM	6" VENTILATING (High Speed)	1,360/-
50	84145190	200 MM	8" VENTILATING (High Speed)	1,710/-
51	84145190	150 MM	6" VENTILATING FAN	1,300/-
52	84145190	200 MM	8" VENTILATING FAN	1,650/-
53	84145190	250 MM	10" VENTILATING FAN	2,025/-
54	84145190	225 MM	9" AIR VENT	1,890/-
55	84145190	305 MM	12" AIR VENT	2,095/-
56	84145190	150 MM	6" VENT. FAN (SUPREME)	1,140/-
57	84145190	200 MM	8" VENT. FAN (SUPREME)	1,300/-
58	84145190	250 MM	10" VENT. FAN (SUPREME)	1,350/-
59	84145190	150 mm	6" Eco Vent Fan (n/s)	1,100/-
60	84145190	200 mm	8" Eco Vent Fan (n/s)	1,200/-
61	84145190	250 mm	10" Eco Vent Fan (n/s)	1,400/-
62	84145190	100 mm	4" Eco Axial Fan	1,250/-
63	84145190	150 mm	6" Eco Axial Fan	1,375/-
64	84145120	600 MM	24" Ceiling Fan	1,660/-
65	84145120	900 MM	36" Regular C/F	1,700/-
66	84145120	1050 MM	42" Regular C/F	1,710/-
67	84145120	1200 MM	48" Regular C/F	1,730/-
68	84145120	1400 MM	56" Regular C/F	1,810/-
69	84145120	1200 MM	48" Popular MARK II - Ceiling Fan	1,640/-
70	84145120	1200 MM	48" NEW SUPER DLX - Ceiling Fan	1,900/-
71	84145120	1200 MM	48" METALLIC DLX - Ceiling Fan	1,960/-

TERMS & CONDITIONS

1. Prices are inclusive of all the taxes
2. Delivery Ex-Delhi godown, Freight "To Pay" at actual
3. This cancels all our previous price lists



ALMONARD PVT LTD - DELHI

M.R.P. (w.e.f. 01.8.2018)

AXIAL FLOW FAN (HSN CODE : 84145930)

S.No.	SIZE	MOTOR RATING	RPM	PHASE	New MRP (Rs.)
1	305MM (12")	0.25 HP	1440	SINGLE	12,567.00
2	305MM (12")	0.25 HP	1440	THREE	11,347.00
	305MM (12")	0.25 HP	2880	THREE	11,887.00
3	305MM (12")	0.25 HP	2880	SINGLE	13,010.00
4	350MM (14")	0.25 HP	1440	SINGLE	14,512.00
	350MM (14")	0.25 HP	1440	THREE	12,090.00
5	350MM (14")	0.25 HP	2880	THREE	12,666.00
6	350MM (14")	0.25 HP	2880	SINGLE	14,960.00
7	375MM (15")	0.5 HP	1440	SINGLE	13,905.00
8	375MM (15")	0.25 HP	1440	THREE	12,791.00
9	375MM (15")	0.5 HP	2880	SINGLE	15,264.00
10	375MM (15")	0.5 HP	2880	THREE	13,603.00
11	400MM (16")	0.25 HP	1440	SINGLE	14,034.00
12	400MM (16")	0.25 HP	1440	THREE	12,956.00
13	400MM (16")	1 HP	2880	SINGLE	18,927.00
14	400MM (16")	1 HP	2880	THREE	15,030.00
15	450MM (18")	0.25 HP	1440	SINGLE	18,587.00
16	450MM (18")	0.25 HP	1440	THREE	14,456.00
17	450MM (18")	2 HP	2880	THREE	19,347.00
18	500MM (20")	0.5 HP	1440	SINGLE	18,946.00
19	500MM (20")	0.5 HP	1440	THREE	15,190.00
20	500MM (20")	3 HP	2880	THREE	25,642.00
21	550MM (22")	0.75 HP	1440	SINGLE	22,634.00
22	550MM (22")	0.75 HP	1440	THREE	16,932.00
23	600MM (24")	1 HP	1440	SINGLE	26,264.00
24	600MM (24")	1 HP	1440	THREE	19,000.00
25	600MM (24")	7.5 HP	2880	THREE	39,686.00
26	700MM (28")	2 HP	1440	THREE	25,012.00
27	750MM (30")	2 HP	1440	THREE	26,111.00
28	775MM (31")	3 HP	1440	THREE	36,535.00
29	800MM (32")	5 HP	1440	THREE	41,414.00
30	850MM (34")	5 HP	1440	THREE	47,175.00
31	900MM (36")	2 HP	960	THREE	47,720.00
32	900MM (36")	7.5 HP	1440	THREE	54,817.00
33	975MM (39")	3 HP	960	THREE	59,578.00
34	1000MM (40")	5 HP	960	THREE	68,321.00
35	1200MM (48")	5 HP	720	THREE	120,720.00
36	1175MM (47")	7.5 HP	960	THREE	86,857.00
37	1200MM (48")	10 HP	960	THREE	130,191.00

TERMS & CONDITIONS

1. Prices are inclusive of all the taxes
2. Delivery Ex-Delhi godown, Freight "To Pay" at actual
3. This cancels all our previous price lists



ALMONARD PVT LTD - DELHI

M.R.P. (w.e.f. 01.8.2018)

MAN COOLER (HSN CODE : 84145930)

S.No.	SIZE		MOTOR RATING	RPM	PHASE	New MRP (Rs.)
1	450MM (18")	WALL	0.5 HP	1440	SINGLE	16,929.00
2	450MM (18")	PEDESTAL	0.5 HP	1440	SINGLE	19,076.00
3	450MM (18")	TUBULAR	0.5 HP	1440	SINGLE	19,271.00
4	450MM (18")	WALL	0.5 HP	1440	THREE	14,554.00
5	450MM (18")	PEDESTAL	0.5 HP	1440	THREE	17,535.00
6	450MM (18")	TUBULAR	0.5 HP	1440	THREE	17,740.00
7	450MM (18")	WALL	2 HP	2880	THREE	19,379.00
8	450MM (18")	PEDESTAL	2 HP	2880	THREE	22,152.00
9	450MM (18")	TUBULAR	2 HP	2880	THREE	22,334.00
10	600MM (24")	WALL	0.75 HP	1440	SINGLE	21,965.00
11	600MM (24")	PEDESTAL	0.75 HP	1440	SINGLE	27,010.00
12	600MM (24")	TUBULAR	0.75 HP	1440	SINGLE	28,202.00
13	600MM (24")	WALL	0.75 HP	1440	THREE	17,289.00
14	600MM (24")	PEDESTAL	0.75 HP	1440	THREE	19,649.00
15	600MM (24")	TUBULAR	0.75 HP	1440	THREE	21,798.00
16	750MM (30")	WALL	2 HP	1440	THREE	26,731.00
17	750MM (30")	PEDESTAL	2 HP	1440	THREE	29,065.00
18	750MM (30")	TUBULAR	2 HP	1440	THREE	35,474.00
19	900MM (36")	WALL	2 HP	960	THREE	39,729.00
20	900MM (36")	PEDESTAL	2 HP	960	THREE	44,848.00
21	900MM (36")	TUBULAR	2 HP	960	THREE	48,054.00
22	900MM (36")	WALL	3 HP	1440	THREE	38,315.00
23	900MM (36")	PEDESTAL	3 HP	1440	THREE	43,455.00
24	900MM (36")	TUBULAR	3 HP	1440	THREE	47,836.00
25	1200MM (48")	PEDESTAL	7.5 HP	960	THREE	94,605.00
26	1200MM (48")	TUBULAR	7.5 HP	960	THREE	106,920.00

TERMS & CONDITIONS

1. Prices are inclusive of all the taxes
2. Delivery Ex-Delhi godown, Freight "To Pay" at actual
3. This cancels all our previous price lists



ALMONARD PVT LTD - DELHI

M.R.P. (w.e.f. 01.8.2018)

AIR CURTAIN(HSN CODE: 84798999)

S.No.	MODEL	SIZE	MOTOR CAPACITY	New MRP (Rs.)
1	AHV	2'	150 W	14,010.00
2	AHV	3'	150 W	16,034.00
3	AHV	4'	180 W	20,136.00
4	AHV	5'	370 W	21,881.00
5	AHV	6'	150 W × 2	29,722.00
6	AHV	1 mtr	150 W	17,103.00
7	AHV	2 mtr	150 W × 2	31,304.00
8	SILENT	2'	150 W	15,229.00
9	SILENT	3'	150 W	15,759.00
10	SILENT	4'	180 W	20,219.00
11	SILENT	5'	370 W	23,519.00
12	SILENT	6'	150 W × 2	29,495.00
13	SILENT	1 mtr	150 W	16,296.00
14	SILENT	2 mtr	150 W × 2	31,471.00
15	SMART	2'	150 W	15,703.00
16	SMART	3'	150 W	16,652.00
17	SMART	4'	180 W	20,868.00
18	SMART	5'	370 W	23,316.00
19	SMART	6'	150 W × 2	31,176.00
20	SMART	1 mtr	150 W	17,207.00
21	SMART	2 mtr	150 W × 2	32,338.00
22	AEHV	2'	250 W	18,802.00
23	AEHV	3'	250 W	19,423.00
24	AEHV	4'	370 W	24,375.00
25	AEHV	5'	370 W	26,582.00
26	AEHV	6'	250 W × 2	34,828.00
27	AEHV	1 mtr	250 W	19,470.00
28	AEHV	2 mtr	250 W × 2	37,169.00
29	AIB	3'	750 W	34,613.00
30	AIB	4'	1100 W	42,912.00
31	AIB	5'	1100 W	52,670.00
32	AIB	1 mtr	750 W	37,546.00
33	AIB	2 mtr	750 W × 2	70,624.00
34	AIB	6'	750 W × 2	66,349.00

TERMS & CONDITIONS

1. Prices are inclusive of all the taxes
2. Delivery Ex-Delhi godown, Freight "To Pay" at actual
3. This cancels all our previous price lists